



TEST REPORT

US BUTTON / EMSIG MFG
328 KENNEDY DRIVE
PUTNAM, CT 06260

ATTN: BURT ELLIOTT

LAB NO.: (6508)351-0100 Addendum
FORM NO.: N/L
DATE IN: DECEMBER 16, 2008
MODIFIED DATE IN: N/A
DATE OUT: DECEMBER 29, 2008
ADDENDUM DATE OUT: JANUARY 6, 2009
DIVISION: N/L
DEPARTMENT: N/L
CATEGORY: N/L
BUYER: N/L
NO. OF WORKING DAYS: 7
PAGE: PAGE 1 OF 3

OVERALL RATING	
PASS	_____
FAIL	_____
DATA	_____ X _____

Vendor:	US Button	Agent:	N/L
Fabric Supplier/Mill:	N/L	Factory/Manufacturer:	US Button Corp
P.O. No.:	N/L	Style No.:	20L NiA TWN
Sample Description:	Plastic Button	Style Description:	N/L
Color:	N/L (Blue)	Country of Origin:	N/L
Claimed Fabric Weight:	N/L	Claimed Fabric Count:	N/L
Yarn Size:	N/L	Submitted Size:	N/L
Size Range:	N/L	FPU No.:	N/L
GPU No.:	N/L	End Use:	Clothing

Product Category:	Trims
Test Requested:	Formaldehyde (JIS L 1041), Formaldehyde (AATCC 112), Lead in Surface Coatings, Lead in Substrates
Previous Report No.:	N/L

Submitted Fiber Content:	Melamine
Actual Fiber Content:	N/R
Suggested Fiber Content:	N/A
Submitted Care Instruction(s):	N/L
Client Expected Care Instruction:	N/L
Suggested Care Instruction(s):	N/R



**BUREAU
VERITAS**

TEST PROPERTY	PASS	FAIL	DATA	
FORMALDEHYDE (JIS L 1041)			X	
FORMALDEHYDE (AATCC 112)			X	
LEAD IN SURFACE COATINGS	-	-	-	N/A, See Test Results
LEAD IN SUBSTRATES	X			

An Addendum was issued on January 6, 2009 in order to add Lead in Substrates testing.

Client Specialist
Michael Medeiros

For any **Administrative** questions please contact:
Kristen Miro
508-844-2717
kristen.miro@us.bureauveritas.com

For any **Technical** questions please contact:
Cathy Rodrigues
508-844-2742
cathy.rodrigues@us.bureauveritas.com

For any **Analytical** questions please contact:
John Geringer
508-844-2979
john.geringer@us.bureauveritas.com



<u>TEST PROPERTY</u>	<u>TEST RESULTS</u>	<u>REQUIREMENTS</u>
<u>FORMALDEHYDE</u> (JIS L 1041)		
(PPM)	< 20	-
<u>FORMALDEHYDE</u> (AATCC 112)		
(PPM)	26	-
<u>LEAD IN SURFACE COATINGS</u> (ASTM E1613/E1645)		
(PPM)	N/A, No Surface Coating	≤ 600
<u>LEAD IN SUBSTRATES</u> (EPA 3050B MOD/3051A MOD)		
(PPM)	BLUE BUTTON < 50	≤ 600

KEYS:

N/A: Not Applicable
 N/R: Not Requested
 N/L: Not Listed
 I/S: Insufficient Sample